

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	381/102-109,98,99.ccls. and (filter\$3 near3 network) with switch with select\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 15:41
L2	51	381/102-109,98,99.ccls. and (filter\$3 with switch with select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 15:42
L3	0	381/102-109,98,99.ccls. and (filter\$3 near3 network) with switch\$3 with select\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 15:41
L4	33	381/102-109,98,99.ccls. and (filter\$3 with switch with select\$3) and (potentiometer (variable near2 resist\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 15:43
L5	9	("3530224").URPN.	USPAT	OR	OFF	2007/07/06 16:19
L6	296	(84/678).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 16:46
L7	262	(84/711).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 16:20
L8	1050	(381/123,61).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 16:46
S1	1011	(381/98).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/06/27 15:21
S2	838	(381/101-103).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/06/27 15:21

EAST Search History

S3	2	arnold.in. and (electrical near2 signal near2 processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 11:31
S4	34	381/102-109,98,99.ccls. and ((variable near2 resistor) potentiometer) same filter same switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 15:40
S5	0	381/102-109,98,99.ccls. and (((variable near2 resistor) potentiometer) same filter same switch) and (foot near2 operated near2 switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/06/27 16:20
S6	1	"381"/\$.ccls. and (((variable near2 resistor) potentiometer) same filter same switch) and (foot near2 operated near2 switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/06/27 16:21
S7	27	((variable near2 resistor) potentiometer) same filter same switch) and (foot near2 operated near2 switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/02 13:34
S8	15	(("3548323") or ("4119922") or ("4479250") or ("4584700") or ("4701957") or ("4995084") or ("5032796") or ("5124668") or ("5131044") or ("5201009") or ("5509080") or ("5537079") or ("5574792") or ("5619578") or ("5649015")).PN.	USPAT	OR	OFF	2007/06/27 16:25
S9	4	(("6621907") or ("6631195") or ("5560924") or ("4320534")).PN.	USPAT	OR	OFF	2007/06/27 16:26
S10	0	((variable near2 resistor) potentiometer) same filter same switch) and (foot near2 operated near2 switch) and (rotary near2 switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/02 13:34
S11	1	("3524143").PN.	USPAT	OR	OFF	2007/07/06 11:34
S12	0	S11 and (foot same operat\$2 same switch) and (potentiometer (variable near2 resist\$4)) and (rotary)	USPAT	OR	OFF	2007/07/06 11:34
S13	0	S11 and (foot same operat\$2 same switch) and (potentiometer (variable near2 resist\$4))	USPAT	OR	OFF	2007/07/06 11:33

EAST Search History

S14	0	S11 and (foot same operat\$2 same switch)	USPAT	OR	OFF	2007/07/06 11:33
S15	2	("3524143").PN.	USPAT; USOCR	OR	OFF	2007/07/06 11:34
S16	0	S15 and (foot same operat\$2 same switch) and (potentiometer (variable near2 resist\$4)) and (rotary)	USPAT; USOCR	OR	OFF	2007/07/06 11:34
S17	1	S15 and (foot same operat\$2 same switch) and (potentiometer (variable near2 resist\$4))	USPAT; USOCR	OR	OFF	2007/07/06 11:55
S18	14	"330"/\$.ccls. and (foot same operat\$2 same switch) and (potentiometer (variable near2 resist\$4)) and amplifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 12:02
S19	3076	(330/57,107,109,294,302).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 11:57
S20	1	"330"/\$.ccls. and ((foot near3 operat\$2 near2 switch) with filter\$1) and (potentiometer (variable near2 resist\$4)) and amplifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 12:10
S21	0	"84"/\$.ccls. and ((foot near3 operat\$2 near2 switch) with filter\$1) and (potentiometer (variable near2 resist\$4)) and amplifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 12:10
S22	1	S19 and ((foot near3 operat\$2 near2 switch) with filter\$1) and (potentiometer (variable near2 resist\$4)) and amplifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 12:10